





SHUTTERGUARD® ALUMINIUM SECURITY SHUTTERS



ShutterGuard® Aluminium Security Shutters are a savvy, stylish, safety solution for windows or doors – offering security without compromising on the aesthetics of your home, commercial or retail space.


The patented gear lock keeps the shutters in place. A 60 mm patented bolt secures the shutters to the floor, leaving no leverage to lift the lock out of the track. A 34 mm bolt secures the top track when locked. The Cisa system allows you to lock the shutters with a unique security key. Should you wish to have a double-sided lock, please request this from us.


TECHNICAL SPECIFICATIONS

	UV Blockage:	100% when closed
	Weight:	14 kg/m²
	Min/Max Width:	250 - 850 mm
	Min/Max Height:	650 - 2900 mm
	Material:	Aluminium

TECHNICAL FEATURES

5	Impervious to moisture
7	Easy to clean
N	Control of noise and temperature
þ (-	Control light with Astragal lip
7	Rustproof







Ergonomically designed shutter lock and louvre locking system

STANDARD COLOURS



CUSTOM COLOURS

Custom colours are available, please speak to your sales representative. An additional fee will apply to all custom colours. Manufacture lead times require an extra 5 days.



SHUTTERSTYLE® ALUMINIUM BARRIER SECURITY SHUTTERS



Introducing Taylor's sleek ShutterStyle® Shutters. New ShutterStyle® Security Shutters. Playing it patently safe.

Introducing Taylor's new sleek ShutterStyle® Shutters. Innovation that's both affordable and aesthetically pleasing. These beautiful shutters offer a lightweight alternative to traditional security shutters. For the last 6 years, we've refined our technique to bring you a product with the Taylor seal of security and renowned quality. Featuring a 60 mm bolt, and a sleek new slide action and push-lock system, ShutterStyle® Shutters don't compromise on beauty and functionality. They are made from slim, yet robust aluminium. Suitable for both indoors and outdoors, these stylish shutters offer modular track options, new-to-market light-blocking system and seamless lines.

TECHNICAL SPECIFICATIONS

Min/Max Width:	250 - 850 mm
Min/Max Height:	600 - 2900 mm
	300 x 2900 mm
	850 x 2900 mm
	Except (Bipass)
	Width 1200 mm Height 2900 mm
Material:	Aluminium

SECURITY

	ShutterStyle® uses a new slide action and push-lock system
	Patented integrated louvre lock
	60 mm patented throw bolt secures the shutters to the floor
	34 mm bolt secures shutters to top track

UNIQUE FEATURES

	Lightweight & Robust Aluminium	Operating mechanisms of the shutter are concealed with only one visible fixing.
	Modular Track System	Range of profiles that will accommodate multiple tracks, raised and recess combinations and also the covering of rough edges to floor finishes.
	Light-blocking System	Flexible clip fits eliminate incoming light between shutter panels.
	Trimming of Panels	Allows for shutter panels to be trimmed with minimum replacement of components.
	Flush Lock	Easy to lock and unlock with the new sliding flush lock, allowing you to conveniently operate the sliding lock without locking the shutters automatically.
	No-show seamless tilt mechanism	Tilt rods are fitted inside the shutter panels meaning fewer unsightly hinges.
	Bipass System Versatility	Bipass system can be a bottom roller instead of top hung, allowing for more opportunities to install the shutter.
	Wider Panel Practicality	The beauty of aluminium allows us to manufacture wider panels, eliminating the need for additional shutter panels in your window or door opening.








Unique New Light-blocking System



atented New Internal Tilt Rod Mechansim

STANDARD COLOURS










60 mm patented bolt secures shutters to floor when locked

CUSTOM COLOUR

Custom colours are available, please speak to your sales representative. An additional fee will apply to all custom colours. Manufacture lead times require an extra 5 days.

SHUTTERGUARD® VS. SHUTTERSTYLE®



SHUTTERGUARD® VS. SHUTTERSTYLE®

	SHUTTERGUARD®	SHUTTERSTYLE®	VERDICT: WINNER
SECURITY	- Patented Cassette System - 2-way Gear Locking System - 60 mm Bolt In Bottom Track - 34 mm Bolt In Top Track - Louvre Locks - Definite For A Free-Standing Home - Premium Offering - Strong Aluminium - Builder's Key	- Sliding Action and Push-lock System - Patented Integrated Louvre Locks - 60 mm Bolt Into Bottom Track - 34 mm Bolt Into Top Track - Keyed Alike - Perfect Choice For Estate Homes	SHUTTERGUARD® WINS ON SECURITY For the security conscious: ShutterGuard® offers enhanced patented security with style.
AESTHETICS	- Modern Design Face Plate - Light Filtering Styles	- Minimalist Design - Patented Hidden Tilt Rod - Less Bulky & Lighter - Seamless Finishes - Light Gap Eliminating Technology - Easy To Lock/Unlock	SHUTTERSTYLE® WINS ON AESTHETICS For the style conscious: ShutterStyle® offers premium affordable style with security functionality.

SHUTTERGUARD®




For the security conscious: ShutterGuard® offers enhanced patented security with style.

SHUTTERSTYLE®



For the style conscious: ShutterStyle® offers premium affordable style with security functionality.

	UNIQUE PATENTS
Flush Lock	Easy to lock and unlock with the new sliding flush lock, allowing you to conveniently operate the sliding lock without locking the shutters automatically.
	Tilt rods are fitted inside the shutter panels meaning fewer unsightly hinges.



HURRICANE ALUMINIUM SHUTTERS



The folding louvre Hurricane Shutters will open up any space, letting the outside in, while controlling the light, noise and temperature of your room.

Hello sunshine, goodbye dark and stormy days. With Taylor's Hurricane Shutters you can weather the storms and bask in sunlight on the lovely days. Hurricane Aluminium Shutters were originally designed to protect windows and doors from storms and high winds without compromising the aesthetics of a space. Suitable for both homes and offices, these stylish shutters, made entirely from aluminium, are not only beautiful but are functional, durable, won't rust, are easy to clean and come with up to 10-year warranties.

TECHNICAL SPECIFICATIONS

UV Blockage:	100% when closed
Weight:	14 kg/m²
Min/Max Width:	250 - 850 mm
Min/Max Height:	500 - 2900 mm
Material:	Aluminium

TECHNICAL FEATURES


\supset	Rustproof
	Easy to clean
F	Control of noise and temperature
;\ -	Control light
%	Will not crack, split or warp







Ergonomically designed shutter lock and louvre locking system




60 mm patented bolt secures shutters to floor when locked

STANDARD COLOURS



CUSTOM COLOURS

Custom colours are available, please speak to your sales representative. An additional fee will apply to all custom colours. Manufacture lead times require an extra 5 days.



THERMOWOOD® SHUTTERS



Thermowood® Shutters are practical, custom-made louvre door shutters, manufactured from a durable, specially engineered wood substitute – extruded PVC – that has been thoroughly tested under stringent humid, hot and dry conditions to ensure longevity.

Natural light. Privacy on demand. Modern day living with our beautiful climate begs for spaces to be opened up to let in natural light and fresh air while maximising the views. Retractable, stacking shutters merge indoor and outdoor living, extending your living space.

TECHNICAL SPECIFICATIONS

UV Blockage:	100% when closed
Weight:	8 kg/m ²
Min/Max Width:	240 - 600 mm
Min/Max Height:	450 - 2900 mm
Material:	Extruded PVC

TECHNICAL FEATURES

5	Impervious to moisture
9	Easy to clean
S.	Will not crack, split or warp







Side profile of Thermowood® louvre

Thermowood® louvres with tilt rod

AVAILABLE STANDARD COLOURS



^{*}Kindly note: no custom colours are available for Thermowood



TIMBER WOOD SHUTTERS



Beautifully finished and manufactured in South Africa from hand-selected solid timber, our Timber Wood range of shutters is 100% custom made. For those whose sense of style often outweighs their budget, these shutters offer a stylish, yet affordable solution.

They are available in all the configurations you have come to expect from Taylor; however, our timber range also offers you further design flexibility by adding a variety of shapes like circular, triangle, half circles - in fact, practically any shape you can think of.

Style should not sacrifice the ability to withstand inclement weather conditions, so these shutters are suited to both indoors and exteriors. Our components and materials are up to 30% thicker and more robust than imported alternatives. This continues our now legendary reputation for manufacturing to the highest standards of quality, backed by a full 5-year warranty.

TECHNICAL SPECIFICATIONS

UV Blockage:	100% when closed
Max Panel Width:	850 mm
Max Panel Height:	2900 mm
Material:	Solid Timber

TECHNICAL FEATURES

\bigcirc	Rustproof
	Easy to clean
A	Control of noise and temperature
	100% customisable shapes
÷;-	Indoors and Outdoors
\otimes	5-year warranty







Hinges used to join shutter panels

Aluminium latch lock

ouvre with timber tilt rod (optional)

STAINED STANDARD TIMBER COLOURS*



PAINTED STANDARD TIMBER COLOURS*



^{*}Kindly note: no custom colours are available for Timber Wood.

SHUTTER TRACK AND CONFIGURATION OPTIONS

TRACK OPTIONS - ALL SHUTTERS



Top track with lip. Aluminium flat sheet, colour matched, to neaten uneven walls, window frames and close light gaps



Top track without lip



Bottom track raised



Bottom track recessed


Face fixed against the wall



Reveal-fixed inside the window door reveal

CONFIGURATIONS - ALL SHUTTERS





Cottage






PIVOT OPTIONS - ALL SHUTTERS



(When stacked, all shutter panels can move either left or right)



Cottage arch (Please note, no bottom frame) ShutterStyle® Only




Either the extreme left or extreme right panel is fixed and does not move. The other panels therefore pivot from this fixed point


Pivot, either left or right

TIMBER WOOD® AND THERMOWOOD®

FRAMES



Standard frame



Decorative frame

TILT ROD



With tilt rod

Tilt rods offer owners the opportunity to open and close the shutters with the rod, which is placed on the louvres, running down the middle of each shutter pane

Without tilt rod, also known as Clearview®

*CUSTOMISED FRAME SHAPE EXAMPLES - TIMBER WOOD®







Half circle



HOW OUR RANGE OF SHUTTERS STACK UP

	SHUTTERGUARD® ALUMINIUM SECURITY SHUTTERS	SHUTTERSTYLE® ALUMINIUM BARRIER SECURITY SHUTTERS	HURRICANE Aluminium Shutters	THERMOWOOD® Shutters	TIMBER WOOD Shutters
MATERIAL	Aluminium	Aluminium	Aluminium	Extruded PVC	Solid Timber
INTERNAL USE	✓	✓	✓	✓	✓
EXTERNAL USE	~	~	~	×	~
RUSTPROOF	✓	✓	✓	✓	✓
DELIVER ON SECURITY	~	~	×	×	×
STACKABLE	✓	✓	✓	✓	✓
SUITABLE FOR DOORS & WINDOWS	~	~	~	✓	~
WARRANTY	10 Years	5 Years	10 Years	3 Years	5 Years
COLOURS	Matte White, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey Custom colours available**	Matte White, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey, Custom colours available**	Matte White, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey Custom colours available**	Holland, Lime-wash, Magnolia, Satin-white, Ash Grey, White No custom colours available	Our timber range is available in standard painted and stained colours Custom colours available**
MANUFACTURE TIME	2 Weeks: Matte White 3 Weeks: Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey	3 - 4 Weeks: All standard colours	2 Weeks: Matte White 3 Weeks: Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey	2 Weeks: All standard colours	20 Days: Standard painted colours 25 Days: Stained or custom colours and custom frame manufacture
CONFIGURATIONS	Bifold, Bipass, Slider, Cottage Style or Cottage Arch Frame configuration	Bifold, Bipass, Slider, Cottage Style or Cottage Arch Frame configuration	Bifold, Bipass, Slider, Cottage Style or Cottage Arch Frame configuration	Bifold, Bipass, Cottage Style Frame, Cottage Arch Frame, Standard Frame or Decorative Frame. Available with centre located tilt rod or Clearview® option	Bifold, Bipass, Cottage Style Frame, Cottage Arch Frame, Standard Frame or Decorative Frame. Available with centre located tilt rod or Clearview® option
MAXIMUM & MINIMUM Panel Sizes	Min-Max shutter width: 250 - 850 mm Min-Max shutter height: 650 - 2900 mm	Min-Max shutter width: 250 - 850 mm Min-Max shutter height: 650 - 2900 mm 300 - 2900 mm 850 - 2900 mm Except Bipass: 1200 - 2900 mm	Min-Max shutter width: 250 - 850 mm Min-Max shutter height: 500 - 2900 mm	Min-Max shutter width: 240 - 600 mm Min-Max shutter height: 450 - 2900 mm	Min-Max shutter width: 250 - 850 mm Min-Max shutter height: 450 - 2900 mm
ACCESSORIES	Security keys and louvre locks	Security key	Louvre locks only as an optional extra*		
LIGHT CONTROL	Yes. Astragal frame removes light gap between shutter panels	Yes. Patented light gap eliminating technology	Astragal frame removes light gap between shutter panels. This is only applied as an optional extra*	Yes. Light control depends on the louvres' tilt when closing/opening	Yes. Light control depends on the louvres' tilt when closing/opening
PRIVACY CONTROL	85 - 100% (not possible to see through closed shutters)	85 - 100% (not possible to see through closed shutters)	85 - 100% (not possible to see through closed shutters)	85 - 100% (not possible to see through closed shutters)	85 - 100% (not possible to see through closed shutters)
SECURITY	ShutterGuard® is a security shutter system which includes a patented Taylor 2-way aluminium gear lock system. 60 mm patented bolt secures shutters to the floor while a 34 mm bolt secures the shutters to the top track. Patented louvre cassette.	New sliding action Push-lock system Integrated louvre lock Patented internal tilt mechanism	Hurricane Shutters are not a security shutter system	Thermowood® is not a security shutter system	Timber Wood Shutters are not a security shutter system
NEW FEATURES		Lighter aluminium Integrated tilt mechansim No unsightly rivets Modular track			
CONSUMER	Security conscious: ShutterGuard® offers enhanced patented security	Style conscious: ShutterStyle® offers affordable premium style with security functionality	Weather barrier conscious		

*Optional extras for Hurricane Shutters include: Astragal Frame to remove light gap between shutter panels and louvre locks to lock louvres. **Custom colours and frame shapes are available at a surcharge and will add an extra 1 week to the lead time.

TAYLOR TAYLOR

QUALITY. INNOVATION. TRUST.

WHO ARE WE?

For over 60 years, Taylor has been synonymous with providing service excellence and innovative, elegant, quality products. Be it stylish aluminium or wood-substitute shutters, contemporary security gates, the streamlined simplicity of venetian, vertical, roller or woven blinds, Taylor has the perfect solution for your home or office.

Taylor innovation is savvy – merging design and functionality to provide stylish, sleek and practical window and door covering custom-made solutions.

HOW ARE WE DIFFERENT?

We know everyone has unique tastes so we work alongside home owners, designers and architects to provide Taylor-made-to-measure, locally manufactured, top quality products that are delivered and installed within our committed time frame to you.

We pride ourselves on our quality and service and offer a warranty on all products manufactured in our factory that they will be free from defects in material and workmanship, for a set period ranging from 2 to 10 years from date of delivery. This warranty is given subject to certain conditions.

QUICK TURNAROUND

We have an 8000 m² purpose-built factory and are able to manufacture within a maximum of two weeks from signed-off order*. Our service ethic includes the highest quality control, which is why we confidently offer 2 to 10-year warranties, depending on the product.

SECURITY WITH STYLE

Security shouldn't come at the expense of style. ShutterGuard® Aluminium Shutters are stylish, rustproof and perhaps, more importantly, through innovative construction, they also provide high-end security when closed. So you'll have complete peace of mind when away from home. Think of it as a haute couture suit of armour.

*Excluding delivery, which requires 5 working days.